

REPORT GIVEN BY: Michael Scott – Fire Chief

DATE: 06/22/2022

ACTION ITEMS

FOLLOW UP

- Roof Update.
- Bay Door Update.
- Phone system
- 5631 pump updates

OTHER UPDATES/INFORMATION

- The Disaster Preparedness meetings have been a great success with the Town of Nederland. Captain Schmidtmann and I attend the meeting this month and I presented on Emergency Response of an EOC. Great Meeting with the entire group.
- Mission Statement meeting and workshop went very well. Thank you, Scott Papich, for facilitating the great product we produced as a team.
- Had a meeting with the Big Springs residents and the Town of Nederland. This was a very productive meeting with great information shared.
- We are still working with Maya Machamer, the director of the Boulder Watershed Collective to update our CWPP (Community Wildfire Preparedness Plan) via a grant.
- Jim has been working with CDOT to apply for a permit to hang NFD district sign within our district.
- The following cisterns/dry hydrants have been checked (successfully drafted and topped off):

Ridge and Summer: 2 ½" may have small air leak

Station 2

Station 3: was about 750g low

Fisher house



5 points (needs a taller sign to avoid getting parked in during winter)

Western Cold Spring hydrant (listed as a dry hydrant on the map but acts like cistern above it or connected to boulder water line and marked with 10k gallonage.

Cold springs and hummer dry hydrant (park on bridge by hummer and use two sections of hard suction or park 2" off the guard rail on cold springs and use one)

West Mag

Operations/ Wildland

- Wildland fire at West Mag, Good catch, was very windy and if it went unseen for much longer would have been a bigger deal. Was ¾ mile away from the road or any camping area.
- Moose Shooting. Momma moose dispatched but victims got out without further injuries.
- Chemically sedated assault suspect with Ned PD and SO. Again everyone safe, suspect was very violent, had self-inflicted injuries, but no responders were injured and the suspect wasn't injured by PD or any responders.
- Had a patient with a Stemi. Only 2 volunteers on the scene
- We have a meeting planned for next week with Coal Creek Fire Protection District and Timberline Fire Protection District to plan on how a shared Fleet Mechanic would work for all organizations. This would be a cost savings but logistically needs to be worked out.
- Farmers Market attendance has been going very well.
- Disassembled new 5624 sanded and began spraying all the cabinets with Raptor liner, I ran out of material, but it should be here today, so my plan is to finish it after my shift tomorrow. All the extrication gear has been removed from old 5624 and installed on 5601. New mounts have either been made or purchased to hold all the equipment.
- The engine had been rewired (from 220 volt to 110 volt) to accommodate a smaller generator to allow for more room and make it so we can move the generator closer to the scene.
- We have accepted a new Combi unit and powerplant from Castle Rock Fire Thanks to Patrick, this will be installed on 5617 to create backup and redundancy with all our apparatus. The plan is to have extrication equipment on 5601, 5617, 5602, in the same place on each truck. This will make it



NEDERLAND FIRE PROTECTION DISTRICT

MONTHLY REPORT FOR BOARD OF DIRECTORS

easier and more efficient for the responders and if we have multiple calls or a truck goes out of service there won't be confusion or delay in going back in service.

- 20-year plan with apparatus committee we should have that ready for the end of the month.
- Received new 800 mhz radios from BRFR and they have been programmed, thanks Chief, ordered new batteries, chargers, and antennas for them, they are in-service. Reorganized radios at station 1.
- Oil Change on 5631, disposed of all old oil at East Street Garage.
- Finalized Building Permit for burn building, we need to pay for the permit so we can continue.
- MES was here doing the flow testing on all our SCBA's \$4664.00
- The Apparatus Committee has been working on a plan for vehicle check, changes, and recommendations. The committee is also working on a 20-year plan with apparatus committee we should have that ready for the end of the month.

Safety/ Training

<u>Safety</u>

Immediate Safety Issues-

• None to report

Injuries-

• None to report

Exposures-

• None to report

Safety Improvements projects-

• None to report

Training

In-district training completed-March

1) Mission Statement.



2) Engine Operations

Outside Training

1) Fire Instructor 1

Large Training Projects

EMS

- State training center EMT application was received back from the State with several corrections and additions needed. We will have the application completed this month.
- Hired two PRN paramedics who shined in the interview process. This will not be enough for our anticipated coverage needs and we are continuing an individualized invite only process. We look at a minimum of 4 to save on the over-time pay.
- Continued training of EMTs and renewal continue education.
- We have begun scheduling field training PRN medics with completion this month.
- ALS apparatus and response model for in-town and mutual aid medical calls have needed a response reevaluation. We feel we have made advancement in our response.
- Documentation feedback for all EMT that completed EPCR. Looking at what type of documentation training is needed for our members.

Fire Marshal

Fire Code updates:

A hearing with the fire code review committee was scheduled for May 24th @ 1500 for the 2018 NFD Fire Code resolution. There has been some questions for clarification

Projects:

Routine Inspections:

Inspections are continuing. Andrew Joslin has been accompanying Rik on inspections for training purposes.

Ongoing activities:

Upcoming events:



July 9 Ned Gravel Bike Race

Alternate Sundays over the summer - Farmers market

Computer software/IT

Please see Summary Report on next page.